



industriareal®

ANKER^{MR}

EXPANDED METAL



PERFORATED METAL

A PROUD MEXICAN MANUFACTURER


Eclipse No. 2791, Jardines del Bosque
44520 Guadalajara, Jalisco, México.

[+52] 33 3880.0700 • ventas@industriareal.com

www.industriareal.com

EXPANDED METAL

DIAMOND SECTIONS



FINISHINGS:








N • Natural.
P • Flat.

MATERIALS:

Carbon Steel.
Galvanized Steel.
Stainless Steel.
Aluminium.

PRODUCTION TABLE

CATALOG No.	DIAMOND		CATALOG No.	DIAMOND	
	Milimeters	Inches		Milimeters	Inches
A 4-26	3 x 6	1/8 x 1/4	G 32-20	20 x 40	3/4 x 1 9/16
B 8-26	5 x 10	3/16 x 3/8	G 33-18	20 x 40	3/4 x 1 9/16
B 9-24	5 x 10	3/16 x 3/8	G 34-16	20 x 40	3/4 x 1 9/16
B 10-22	5 x 10	3/16 x 3/8	G 35-14	20 x 40	3/4 x 1 9/16
C 13-26	8 x 16	5/16 x 5/8	H 37-18	25 x 50	1 x 2
C 14-24	8 x 16	5/16 x 5/8	H 38-16	25 x 50	1 x 2
C 15-22	8 x 16	5/16 x 5/8	H 39-14	25 x 50	1 x 2
C 16-20	8 x 16	5/16 x 5/8	H 40-12	25 x 50	1 x 2
D 17-24	11 x 22	7/16 x 7/8	J 45-16	35 x 70	1 3/8 x 2 3/4
D 18-22	11 x 22	7/16 x 7/8	J 46-14	35 x 70	1 3/8 x 2 3/4
D 19-20	11 x 22	7/16 x 7/8	J 47-12	35 x 70	1 3/8 x 2 3/4
D 20-18	11 x 22	7/16 x 7/8	J 48-10	35 x 70	1 3/8 x 2 3/4
D 21-16	11 x 22	7/16 x 7/8			
E 23-22	12 x 30	1/2 x 1 3/16			
E 24-20	12 x 30	1/2 x 1 3/16			
E 25-18	12 x 30	1/2 x 1 3/16			
E 26-16	12 x 30	1/2 x 1 3/16			
E 27-14	12 x 30	1/2 x 1 3/16			



WE OFFER OUR SERVICES OF: HOT DIP GALVANIZATION BY IMMERSION.



STRUCTURAL



	CALIBER	STRAND WIDTH mm	DIMENSIONS mts	UNIT		CALIBER	STRAND WIDTH mm	DIMENSIONS mts	UNIT
GR1000	1/8"	6.60	0.915 x 2.44	PIEZA	GR2000	1/4"	7.50	0.915 x 2.44	PIEZA
GR1000	1/8"	6.60	1.220 x 2.44	PIEZA	GR2000	1/4"	7.50	1.220 x 2.44	PIEZA
GR1000	1/8"	6.60	0.915 x 3.05	PIEZA	GR2000	1/4"	7.50	0.915 x 3.05	PIEZA
GR1000	1/8"	6.60	1.220 x 3.05	PIEZA	GR2000	1/4"	7.50	1.220 x 3.05	PIEZA
GR1500	3/16"	6.60	0.915 x 2.44	PIEZA	GR2500	1/4"	8.30	0.915 x 2.44	PIEZA
GR1500	3/16"	6.60	1.220 x 2.44	PIEZA	GR2500	1/4"	8.30	1.220 x 2.44	PIEZA
GR1500	3/16"	6.60	0.915 x 3.05	PIEZA	GR2500	1/4"	8.30	0.915 x 3.05	PIEZA
GR1500	3/16"	6.60	1.220 x 3.05	PIEZA	GR2500	1/4"	8.30	1.220 x 3.05	PIEZA


CEILING MESH



CATALOG No.		DIMENSIONS Width - Length	Caliber	TOTAL AREA	UNIT
E-500	MESH	0.915 M X 22 M	26	20 M2	ROLL
E-600	MESH	0.915 M X 22 M	26	20 M2	ROLL
E-700	MESH	0.915 M X 22 M	26	20 M2	ROLL
E-800	MESH	0.915 M X 22 M	26	20 M2	ROLL
E-900	MESH	0.915 M X 22 M	26	20 M2	ROLL
E-1000	MESH	0.915 M X 22 M	26	20 M2	ROLL

AVAILABILITY:
WE MANUFACTURE IN CARBON STEEL AND GALVANIZED.

MOSQUITO MESH




CARBON STEEL MOSQUITO MESH

DIMENSIONS Width - Length	DIAMOND DIMENSIONS	UNIT
0.915M x 2.14M	3x6 mm	SHEET
0.915M x 11.00M	3x6 mm	ROLL
1.220M x 11.00M	3x6 mm	ROLL
1.220M x 2.140M	3x6 mm	SHEET

GALVANIZED STEEL MOSQUITO MESH

DIMENSIONS Width - Length	DIAMOND DIMENSIONS	UNIT
0.915M x 2.14M	3x6 mm	SHEET
0.915M x 11.00M	3x6 mm	ROLL

GOTHIC



	DIMENSIONS Width - Length	UNIT
GOTHIC	0.915 M X 2.44 M	SHEET
GOTHIC	1.220 M X 2.44 M	SHEET
GOTHIC	0.915 M X 3.05 M	SHEET
GOTHIC	1.220 M X 3.05 M	SHEET










BAROQUE



	DIMENSIONS Width - Length	Caliber	UNIT
BAROQUE	0.915 M X 2.44 M	11	SHEET
BAROQUE	1.220 M X 2.44 M	11	SHEET
BAROQUE	0.915 M X 3.05 M	11	SHEET
BAROQUE	1.220 M X 3.05 M	11	SHEET

• PERFORATED METAL •

WE MANUFACTURE ALL TYPES OF PERFORATIONS, DIMENSIONS OR MATERIALS.



Perforation diameter in mm	Distance between centers in mm	Approximated % of open area:	THICKNESS IN MM						
			0.75	1.0	1.2	1.5	2.0	2.5	3.0
2.5	4.0	35	✓	✓	✓	✓	✓	✓	✓
3.0	4.3	44	✓	✓	✓	✓	✓	✓	✓
3.0	5.0	33	✓	✓	✓	✓	✓	✓	✓
3.0	8.7	11	✓	✓	✓	✓	✓	✓	✓
4.0	5.2	52	✓	✓	✓	✓	✓	✓	✓
4.8	6.8	45	✓	✓	✓	✓	✓	✓	✓
4.8	7.1	41	✓	✓	✓	✓	✓	✓	✓
4.8	8.0	33	✓	✓	✓	✓	✓	✓	✓
4.8	13.7	11	✓	✓	✓	✓	✓	✓	✓
5.0	7.0	46	✓	✓	✓	✓	✓	✓	✓
6.0	7.8	54	✓	✓	✓	✓	✓	✓	✓
6.0	8.0	51	✓	✓	✓	✓	✓	✓	✓
6.0	9.0	40	✓	✓	✓	✓	✓	✓	✓
6.0	15.6	13	✓	✓	✓	✓	✓	✓	✓
8.0	10.0	58	✓	✓	✓	✓	✓	✓	✓
8.0	10.4	54	✓	✓	✓	✓	✓	✓	✓
8.0	12.0	40	✓	✓	✓	✓	✓	✓	✓
8.0	20.8	13	✓	✓	✓	✓	✓	✓	✓
10.0	11.3	71	✓	✓	✓	✓	✓	✓	✓
10.0	12.7	56	✓	✓	✓	✓	✓	✓	✓
10.0	13.0	54	✓	✓	✓	✓	✓	✓	✓
12.0	13.9	68	✓	✓	✓	✓	✓	✓	✓
10.0	22.5	18	✓	✓	✓	✓	✓	✓	✓
12.0	16.0	51	✓	✓	✓	✓	✓	✓	✓
12.0	27.7	17	✓	✓	✓	✓	✓	✓	✓
15.0	19.2	55	✓	✓	✓	✓	✓	✓	✓
19.1	25.4	51	✓	✓	✓	✓	✓	✓	✓
25.0	38.1	39	✓	✓	✓	✓	✓	✓	✓
25.4	38.1	40	✓	✓	✓	✓	✓	✓	✓

